









FSILON HOME BUILDING MATERIALS CO.,LTD.

No.5888, Wuyuan Road, Haiyan County, Jiaxing City, Zhejiang Province, China

860573-86598806

http://fsl-bm.com

sales@fsilon.com



Space capsule/Apple pod products

# ABOUT US\_

Fsilon has been deeply rooted in the home building materials industry since its founding in 2005. With two decades of expertise, the company proudly debuted on the Shanghai Stock Exchange A-share Main Board (Stock Code: 605318) in August 2020. As a pioneer and leader in the industry, Fsilon is an eco system-driven industrial enterprise integrating product R&D, supply chain empowerment, personalized customization, and turnkey project delivery.

Headquartered in Haiyan, Zhejiang, the company operates across a 260,000+ sqm campus, with its bus ness spanning diverse sectors such as: Cultural tourism facilities, Public welfare projects, Mobile commercial solutions, Municipal in frastructure, Rural revitalization, Military, medical, and beyond. Through independent innovation, Fsilon has introduced cutting-edge, highly customizable products, including All-terrain adaptable "Space Capsule" and "Apple Capsule" units Modular prefabricated buildings. Empowered by professional excellence and innovative spirit, Fsilon fuels dynamic growth across industries.



## All-terrain adaptation

"Never miss" the beautiful scenery of the mountains, rivers and lakes.



# DRIVEN BY INNOVATION PRODUCT UPGRADES DOUBLE IN VALUE

From manufacturing to intelligent manufacturing, Fsilon has been practicing the development concept of "innovation" all the way, providing core protection for the long-term prosperity of the enterprise.



Type:Utility model patent Code: ZL 2018 2 0672567



Type:Design Patent Code:ZL 2018 3 0160744.9



Type:Design Patent Code:ZL 2018 3 0194550.0



Type:Utility model patent Code:ZL 2016 10078197.X



Type:Design Patent Code:ZL 2018 3 0161029.7



Type:Design Patent Code:ZL 2018 3 0194531.8



Type:Utility model patent Code: ZL 2018 2 0680433.X



Type:Design Patent Code: ZL 2018 3 0160743.4



Type:Design Patent Code: ZL 2018 3 0194383.X



Type:Utility model patent Code:ZL 2018 2 0216448.0



Type:Design Patent Code:ZL 2018 3 0194369.X



Type:Design Patent Code:ZL 2018 3 0194508.9



Code:ZL 2018 3 0161027.8

Type:Design Patent Code:ZL 2018 3 0194561.9



Type:Design Patent Code:ZL 2018 3 0194304.5

## PREMIUM PRODUCTS

Define industry-leading standards and forge a quality FSILON





















Report NO.DX20200236





Report NO.DX20202210

Report NO.DX20200621

Fsilon has the strength of a first-line brand in the industry, far surpassing many brands in the industry in terms of product research and development, design, and manufacturing levels. Driven by technological innovation and focusing on improving the "internal strength" of products, the spirit of craftsmanship and the pursuit of excellence in quality are reflected in every detail, from the selection of auxiliary materials, manufacturing processes, power optimization to product performance.

## **CATALOGUE**

## Fsilon Make Space Smarter Provide Prefabricated Materials and Modular Solutions

In recent years, the upsurge of container modification has been in full swing. More and more people are getting involved in it, building their own container villas with extremely limited budgets. As important innovative forms in the field of modern architecture, the market prospects of prefabricated container houses and expandable houses are driven by policies, technologies, environmental protection requirements and diverse application scenarios, showing strong growth potential.








# Reimagining the Future of Living: Discover the Boundless Appeal of Space Capsule Dwellings

At the intersection of technology and creativity, humanity's vision for living spaces has shattered conventional limits. Born from aerospace inspiration, the space capsule design is quietly spear-heading an architectural revolution

More than just embodying mankind's cosmic dreams, it fundamentally redefines the concept of "home" through: Unmatched functionality - Seamlessly adapting to urban, rural and extreme environments, Groundbreaking innovation - Merging space-age aesthetics with intelligent living systems, Eco-conscious engineering - Pioneering sustainable closed-loop life support technologies, A bold testament to human ingenuity that bridges our earthly existence with stellar aspirations.







## "Old Maps Won't Lead You to New Worlds" -Fsilon Space Capsule

Amid the dual tides of the "Experience Economy" and "Low-Carbon Revolution", the prefabricated construction industry is undergoing a structural transformation driven by both technology and ecology. Fsilon's "Space Capsule" series embodies this shift with its core philosophy of "Technology + Ecology".

The Space Capsule is an innovative, compact living space built around modular design—blending futuristic aesthetics with practical functionality. Inspired by humanity's yearning for space exploration and visions of tomorrow, it represents a radical rethinking of habitation.

Why It Stands Out:

Rapid Deployment – Utilizes cutting-edge construction tech and materials for quick assembly with minimal land/resource requirements Fully Customizable – Adaptable configurations to suit diverse living needs and scenarios Sustainable by Design – Aligns with global decarbonization goals through eco-conscious engineering This isn't just a dwelling—it's a manifesto for how we'll live next.





## ► Modular Design Activates Idle Resources

Our space capsules feature factory-preassembled, plug-and-play modules requiring no permanent land allocation.

They deploy instantly across diverse environments—scenic areas, countryside retreats, mountain forests—transforming underutilized spaces into experiential habitats.

## ► Low-Carbon Economy Powers Sustainable Futures

Advanced Exoskeleton: Curved aluminum panels + flame-retardant composites deliver : 10-year waterproof guarantee 97% material recyclability 40%+ lower carbon footprint vs traditional construction.

## ► Tech-Infused Experiences Drive Loyalty

Immersive Space IP Environment: Al voice control & smart security systems Floor-to-ceiling panoramic windows"Dual Silent Realm" acoustic engineering (90dB external noise reduced to <40dB inside) Proven Impact 52% improvement in sleep quality satisfaction 35% increase in repeat bookingsThis isn't accommodation—it's a rebellion against terrestrial limits.

[10-Yr Waterproof] [97% Recyclable] [40%+ Carbon Reduction][52% Better Sleep] [35% More Rebookings]





## Bold Minds Embrace the World First | Explorers Seize Opportunities FirstSpace Capsule Living

A New Frontier of Experience



Stellar Design, Tech-Driven Charm

Sci-fi streamlined aesthetics meet cutting-edge technology



Move Freely, Switch Scenes Instantly

One-touch mobility system adapts to diverse landscapes



The Ideal Life at Your Fingertips

Soundproof independent pod design



Full smart hon

Full smart home ecosystem for ultimate comfort



Eco-Conscious Future

Sustainable materials with low environmental impact



Safe and stab

Earthquake-resistant engineering withstands natural disasters



Interactive cosmic exploration for quality family time Create shared memories under starlight

PO







## From Remote Research Outposts to Urban Frontiers Space Capsule Architecture Blossoms Worldwide

Let's Unveil the Space Capsule's Versatility









When Space Capsules
Become Mobile Homes,
How Far Can
Your Imagination Go?

In this rapidly evolving era, let's embrace the infinite possibilities of space capsules and ignite an unprecedented housing revolution together!











Model No.: HWTKH-01-1

Dimensions:

Length: 9500mm

Width: 3300mm

Height: 3200mm

Footprint: 31.4m<sup>2</sup>

Max. Power: 7.5KW/12KW (with floor heating)

Net Weight: ≈7 tons

Occupancy: 2 persons

Fsilon Overseas Department Official Tel: +86 573-8659 8806 Website: http://fsl-bm.com





## **Standard Configuration Includes**

#### Enclosure System Specifications Indoor decoration Integrated ceiling & wall modules Galvanized steel frame system SPC flooring

Bathroom Privacy glass door

Bathroom Marble/ceramic tile flooring

Vanity with basin & mirror

Accessories (robe hooks, shower shelf, towel rail)

Sanitaryware (toilet, faucets, shower, drain)

Central lighting system

Complete plumbing/electrical network

Blackout curtains (standard colors) Split-type air conditioner (cooling/heating)

Electric water heater

Energy recovery ventilator (ERV)

Full-house window screens

Electric floor heating

Fluorocarbon-coated aluminum alloy shell modules

Waterproof, thermal insulation assembly

Triple-panel tempered glass windows

Laminated tempered glass skylight (3-layer)

Eco-friendly thickened polyurethane insulation system Baked enamel stainless steel hinged entrance door,

panoramic balcony

#### Guest room control system

Card-insertion power-on /off panel Multi-scenario mode function panel

Intelligent integrated control of lighting / curtains

Intelligent voice control

Hotel intelligent access control

#### Furniture

wardrobe

bar counter

#### Product accessories

Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

transportation packaging

#### Value-added configuration

Electric auxiliary heating system for water supply pipes

Induction cooker / range hood

Mini refrigerator

Customized furniture: cabinets / wall cabinets

Bathroom heater with three-in-one

Entrance staircase

P.13 P.12







Model No.: HWTKH-01-2

Dimensions:

Length: 11500mm Width: 3300mm

Height: 3200mm


Footprint: 38m2

Occupancy: 4persons

Max. Power: 11.5KW/17KW (with floor heating)

Net Weight: ≈7 tons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

CL	0.00	C	<b>C</b> :		
Stand		t on	figurat	Incli	nes
Calle	idi d	9011	iigai a	HIGIG	G C C

Indoor decoration	
Integrated ceiling & wall modules	
SPC flooring	
Bathroom Privacy glass door	
Bathroom Marble/ceramic tile flooring	
Vanity with basin & mirror	
Accessories (robe hooks, shower shelf, towel rail)	
Sanitaryware (toilet, faucets, shower, drain)	
Central lighting system	
Complete plumbing/electrical network	
Blackout curtains (standard colors)	
Split-type air conditioner (cooling/heating)	
Electric water heater	
Energy recovery ventilator (ERV)	
Full-house window screens	
Electric floor heating	

## Enclosure System Specifications Galvanized steel frame system

Fluorocarbon-coated aluminum alloy shell modules

Waterproof, thermal insulation assembly

Triple-panel tempered glass windows

Laminated tempered glass skylight (3-layer)

Eco-friendly thickened polyurethane insulation system

Baked enamel stainless steel hinged entrance door,

panoramic balcony

## Guest room control system

Card-insertion power-on /off panel

Multi-scenario mode function panel

Intelligent integrated control of lighting / curtains

Intelligent whole house voice control

Hotel intelligent access control

## Furniture

wardrobe

#### Product accessories

Support feet matching the bottom of the product
Lifting rings / transportation fixing parts /

transportation packaging

## Value-added configuration

Electric auxiliary heating system for water supply pipes
Induction cooker / range hood
Mini refrigerator

Customized furniture: cabinets / wall cabinets
Bathroom heater with three-in-one

Entrance staircase







Model No.: HWTKH-02-1

Dimensions:

Length: 9500mm

Width: 3300mm Height: 3200mm


Footprint: 30.40m2

Occupancy:2- 4persons

Max. Power: 6.7KW/11.2KW (with floor heating)

Net Weight: ≈7 tons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

## **Standard Configuration Includes**

#### Indoor decoration

Integrated ceiling & wall modules

SPC flooring

Bathroom Privacy glass door

Bathroom Marble/ceramic tile flooring

Vanity with basin & mirror

Accessories (robe hooks, shower shelf, towel rail)

Sanitaryware (toilet, faucets, shower, drain)

Central lighting system

Complete plumbing/electrical network

Blackout curtains (standard colors)

Split-type air conditioner (cooling/heating)

Electric water heater

Energy recovery ventilator (ERV)

Full-house window screens

Electric floor heating

#### Enclosure System Specifications

Galvanized steel frame system

Fluorocarbon-coated aluminum alloy shell modules

Waterproof, thermal insulation assembly

Triple-panel tempered glass windows

Laminated tempered glass skylight (3-layer)

Eco-friendly thickened polyurethane insulation system

Baked enamel stainless steel hinged entrance door,

panoramic balcony

#### Guest room control system

Card-insertion power-on /off panel integrated control of lighting / curtains

Intelligent Hotel intelligent access control

#### Furniture

bar counter

#### Product accessories

Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

transportation packaging

#### Value-added configuration

Electric auxiliary heating system for water supply pipesInduction

Privacy Sunscreen Film

Bathroom heater with three-in-one

Entrance staircase







Model No.: HWTKH-02-2

Dimensions:

Length: 11500mm Width: 3300mm


Height: 3200mm Footprint: 36.80 m2

Occupancy:2- 4persons

Max. Power: 9.9KW/14.5KW (with floor heating)

Net Weight: ≈ 9tons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

Stand	ard (	Confi	igurati	ion l	nc	ude	S
-------	-------	-------	---------	-------	----	-----	---

## Indoor decoration Integrated ceiling & wall modules SPC flooring Bathroom Privacy glass door Bathroom Marble/ceramic tile flooring Vanity with basin & mirror Accessories (robe hooks, shower shelf, towel rail) Sanitaryware (toilet, faucets, shower, drain) Central lighting system Complete plumbing/electrical network Blackout curtains (standard colors) Split-type air conditioner (cooling/heating) Electric water heater Energy recovery ventilator (ERV) Full-house window screens Electric floor heating

## Enclosure System Specifications Galvanized steel frame system

Fluorocarbon-coated aluminum alloy shell modules

Waterproof, thermal insulation assembly

Triple-panel tempered glass windows

Laminated tempered glass skylight (3-layer)

Eco-friendly thickened polyurethane insulation system

Baked enamel stainless steel hinged entrance door,

panoramic balcony

## Guest room control system

Card-insertion power-on /off panel integrated control of lighting / curtains Intelligent Hotel intelligent access control

#### Furniture

wardrobe

#### Product accessories

Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

transportation packaging

#### Value-added configuration

Electric auxiliary heating system for water supply pipesInduction

Privacy Sunscreen Film

Bathroom heater with three-in-one

Entrance staircase







Model No.: HWTKH-03-1

Dimensions:

Length: 5600mm

Width: 2800mm

Height: 3200mm


Footprint: 15.70m2

Max. Power: 6.7KW/11.2KW (with floor heating)

Net Weight: ≈ 5 tons

Occupancy: 2 persons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

Standard Configuration Includes
Enclosure System Specifications
Galvanized steel frame system

Fluorocarbon-coated aluminum alloy shell modules
Waterproof, thermal insulation assembly

Triple-panel tempered glass windows
Standard swing entry door

Accessories (robe hooks, shower shelf, towel rail)

Baked enamel stainless steel hinged entrance door,

Sanitaryware (toilet, faucets, shower, drain)

## Guest room control system

Card-insertion power-on /off panel integrated control of lighting / curtains Intelligent Hotel intelligent access control

## Product accessories Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

transportation packaging

## Value-added configuration

Electric auxiliary heating system for water supply pipesInduction

Bathroom heater with three-in-one

Entrance staircase

P.21

Indoor decoration

SPC flooring

Integrated ceiling & wall modules

Bathroom Marble/ceramic tile flooring

Complete plumbing/electrical network

Blackout curtains (standard colors)

Split-type air conditioner (cooling/heating)

Energy recovery ventilator (ERV)

Full-house window screens

Bathroom Privacy glass door

Vanity with basin & mirror

Central lighting system

Electric water heater

Electric floor heating







Model No.: HWTKH-03-2

Dimensions:

Length: 9500mm Width: 3300mm

Height: 3300mm


Footprint: 31.40m2

Max. Power: 6.7KW/11.2KW (with floor heating)

Net Weight: ≈ 7 tons

Occupancy: 2-4 persons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

## **Standard Configuration Includes**

# Integrated ceiling & wall modules SPC flooring Bathroom Privacy glass door Bathroom Marble/ceramic tile flooring Vanity with basin & mirror Accessories (robe hooks, shower shelf, towel rail) Enclosure System Specifications Galvanized steel frame system Fluorocarbon-coated aluminum alloy shell modules Waterproof, thermal insulation assembly Triple-panel tempered glass windows Laminated tempered glass skylight (3-layer) Standard swing entry door

Sanitaryware (toilet, faucets, shower, drain)

Split-type air conditioner (cooling/heating)

Complete plumbing/electrical network

Blackout curtains (standard colors)

Energy recovery ventilator (ERV)

Full-house window screens

Central lighting system

Electric water heater

Electric floor heating

## Baked enamel stainless steel hinged entrance door,

Guest room control system
Card-insertion power-on /off panel
integrated control of lighting / curtains
Intelligent Hotel intelligent access control

Support feet matching the bottom of the produ
Lifting rings / transportation fixing parts /

transportation packaging

Product accessories

#### Value-added configuration

Electric auxiliary heating system for water supply pipeline
Lighting, ventilation, and heating three in one bathroom heater
Customized furniture: cabinets/hanging cabinets/wardrobes/bar counter
Induction cooker/range hood
Small refrigerator
Entrance staircase







Model No.: HWTKH-03-3

Dimensions:

Length: 11500mm Width: 3300mm

Height: 3300mm


Footprint: 38 m2

Occupancy: 2-4 persons

Max. Power: 9.9 KW/15.4 KW (with floor heating)

Net Weight: ≈ 9 tons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

## Standard Configuration Includes

## Indoor decoration

Integrated ceiling & wall modules

SPC flooring

Bathroom Privacy glass door

Bathroom Marble/ceramic tile flooring

Vanity with basin & mirror

Accessories (robe hooks, shower shelf, towel rail)

Sanitaryware (toilet, faucets, shower, drain)

Central lighting system

Complete plumbing/electrical network

Blackout curtains (standard colors)

Split-type air conditioner (cooling/heating)

Electric water heater

Energy recovery ventilator (ERV)

Full-house window screens

Electric floor heating

#### Enclosure System Specifications

Galvanized steel frame system

Fluorocarbon-coated aluminum alloy shell modules

Waterproof, thermal insulation assembly

Triple-panel tempered glass windows

Laminated tempered glass skylight (3-layer)

Standard swing entry door

Baked enamel stainless steel hinged entrance door,

## Guest room control system

Card-insertion power-on /off panel integrated control of lighting / curtains

Intelligent Hotel intelligent access control

#### Product accessories

Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

transportation packaging

#### Value-added configuration

Electric auxiliary heating system for water supply pipeline Lighting, ventilation, and heating three in one bathroom heater Customized furniture: cabinets/hanging cabinets/wardrobes/bar counter


Induction cooker/range hood

Small refrigerator

Entrance staircase







Model No.: HWTKH-03-3

Dimensions:

Length: 8500mm Width: 3600mm


Height: 3200mm

Footprint: 30.60 m2 Occupancy: 2-4 persons

Max. Power: 6.7KW/11.2 KW (with floor heating)

Net Weight: ≈ 6 tons

Fsilon Overseas Department Official Tel: +86 573-8659 8806 Website: http://fsl-bm.com





\*Layout customizable. Images for reference only.

Support feet matching the bottom of the product

Lifting rings / transportation fixing parts /

Product accessories

transportation packaging

Standard	Conf	iguratio	n Includes
----------	------	----------	------------

## Enclosure System Specifications Indoor decoration Integrated ceiling & wall modules SPC flooring Bathroom Privacy glass door Bathroom Marble/ceramic tile flooring Vanity with basin & mirror 电视支架 Accessories (robe hooks, shower shelf, towel rail) Sanitaryware (toilet, faucets, shower, drain) Central lighting system Complete plumbing/electrical network Blackout curtains (standard colors) Split-type air conditioner (cooling/heating) Electric water heater Energy recovery ventilator (ERV) Full-house window screens Electric floor heating

## Galvanized steel frame system Fluorocarbon-coated aluminum alloy shell modules Waterproof, thermal insulation assembly Triple-panel tempered glass windows


Laminated tempered glass skylight (3-layer)	
Standard swing entry door	
Baked enamel stainless steel hinged entrance door,	
Constant and an article and an	
Guest room control system	Value-added configuration
Card-insertion power-on /off panel	Electric auxiliary heating system for water supply pipes
,	•
Card-insertion power-on /off panel	Electric auxiliary heating system for water supply pipes
Card-insertion power-on /off panel integrated control of lighting / curtains	Electric auxiliary heating system for water supply pipes Customized furniture: wardrobe

P.27 P.26



## Apple Pod Walking integrated house

New generation prefabricated micro - villas
"Apple pod" creative architecture
With a unique and full - bodied appearance
Breaking the traditional house shape
It has also attracted the attention of a large
number of young people.







## Experience the Dual Allure of Nature and Comfort - Fsilon Apple Pod

The Apple Pod, an innovative product in the realm of mobile smart cabins, derives its name from its striking resemblance to an iPhone.

Evolving into a stylish, cost-effective, and easily deployable next-generation smart solution, it has gained widespread popularity among younger demographics.

Its applications span: Resort hotels & glamping sites, RV campgrounds, Creative commercial complexes, Pop-up retail spaces.

Fsilon's deep expertise in spatial aesthetics drives our mission to unlock the Apple Pod's limitless potential across scenarios.

Key features include: Aerospace-grade aluminum construction. Sleek, minimalist design with futuristic appeal. Fully customizable interiors for diverse needs.





## **Compact Size, Boundless Potential Eco-Materials Powering Low-Carbon Architecture Where Innovation Meets Value**



## Biophilic Design Intelligence

The design may incorporate green and environmentally friendly elements, such as green plant walls, small greenhouses natural micro-environment similar to an "apple orchard".



## **Agri-Tech Synergy**

Or combine micro-planting technologies realize the integration of vegetable and fruit planting and living functions within the living units.




## Sustainable Modular Engineering

The modular advantages of the affiliated unit houses are continued. Renewable materials or low-carbon construction



## **Transformative Applications**

stations for agricultural startups Edu-Tainment Pods: Interactive sustainability classrooms Micro-Retail: Zero-waste pop-up stores with





## "Apple Pod" Mobile Space **Empowering Mobile Commerce**

The Apple Pod is ideal for commercial events, exhibitions, conferences, and more.

Its flexible layout and customizable design allow tailored setups to meet diverse event requirements, providing versatile solutions for business and social engagements.



**RV** campsite









homestay/hotel retail









commercial street Outdoor office commercial supporting leisure facilities







Product Brand: Fsilon Model No.: HWTKH-01

Dimensions:

Length: 6000mm

Width: 2800mm

Height: 3000mm

Footprint: 18 m2

Occupancy: 2 persons

Max. Power: 5.7KW (without floor heating)

Net Weight: ≈4.5 tons

Fsilon Overseas Department
Official Tel: +86 573-8659 8806
Website: http://fsl-bm.com

Configuration sheet				
Integrated ceiling,	Integrated bathroom			
integrated wall,	intelligent system,			
SPC floor,	whole house lighting,			
door and window system,	intelligent curtains,			
whole house water, electricity,	fresh air system,			
cooling, heating, air conditioning,	water heater			
underfloor heating				









Model No.: HWTKH-01

Dimensions:

Length: 5600mm Width: 2800mm

Height: 3100mm Footprint: 28 m2

Occupancy: 2 persons

Max. Power: 5.7KW (without floor heating)

Net Weight: ≈5 tons

Fsilon Overseas Department Official Tel: +86 573-8659 8806 Website: http://fsl-bm.com

Configuration sheet			
Integrated ceiling,	Integrated bathroom		
integrated wall,	intelligent system,		
SPC floor,	whole house lighting,		
door and window system,	intelligent curtains,		
whole house water, electricity,	fresh air system,		
cooling, heating, air conditioning,	water heater		
underfloor heating			







Model No.: HWTKH-03

Dimensions:

Length: 11500mm

Width: 2250mm

Height: 2450mm Footprint: 25.8 m2

Occupancy: 2 persons

Max. Power: 6 KW (without floor heating)

Net Weight: ≈ 8 tons

Fsilon Overseas Department Official Tel: +86 573-8659 8806 Website: http://fsl-bm.com

Configuration sheet			
Integrated ceiling,	Integrated bathroom		
integrated wall,	intelligent system,		
SPC floor,	whole house lighting,		
door and window system,	intelligent curtains,		
whole house water, electricity,	fresh air system,		
cooling, heating, air conditioning,	water heater		
underfloor heating			

